



## Retail Food Establishment Inspection Report

Floyd County Health Department

Telephone: 812-948-4726

X678

Based on an inspection this day, the item(s) noted below identify violations of 410 IAC 7-24, Indiana Retail Food Establishment Sanitation Requirements. The time limit for correction of each violation is specified in the narrative portion of this report.

Establishment Name <b>Tucker's American Favorites</b>	Telephone Number <b>812-944-9999</b>	Date of Inspection (mm/dd/yr) <b>4-26-19</b>	PERMIT # <b>18-281</b>
Establishment Address (number and street, city, state, zip code) <b>2441 State St Ste 6 New Albany, IN 47150</b>	<b>502-645-2104</b>		
Owner <b>Trey Meyers &amp; Deane Kester</b>	Purpose: <input checked="" type="radio"/> 1. Routine <input type="radio"/> 2. Follow-up <input checked="" type="radio"/> 3. Complaint <input type="radio"/> 4. Pre-Operational <input type="radio"/> 5. Temporary <input type="radio"/> 6. HACCP <input type="radio"/> 7. Other (list)	Follow-up <b>NO</b>	Release Date <b>Today</b>
Owner's Address <b>2441 State St</b>		Summary of Violations: <b>C 1 NC 6 R 1</b>	
Person in Charge <b>Lloyd "Cody" Meyers</b>		Menu Type (See back of page) <b>1 2 3 4 5</b>	
Responsible Person's E-mail			
Certified Food Manager <b>Lloyd Meyers 8-27-19</b>			

• CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"

• VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE BELOW AS "R"

Section#	C/N/C	R	Narrative	To Be Corrected By
189	C		Measured Ribs in walk-in dated 4-25-19 at 44°F. - moved to ice bath.	Corrected
291	NC		Observed no chlorine or quat test strips.	3 days
295	NC	R	Observed food splatter in microwave. - not from today	Today
295	NC		Observed steak stick box in need of more frequent cleaning.	Today
392	NC		Observed dumpster lid open.	Corrected
422	NC		Observed employee food not clearly marked and separated in cooler. - Create employee space.	Corrected
			Observed 3 coats stored on can rack.	Corrected
431	NC		Observed unclean light switch & wall in utility room.	3 days
			Observed build-up of dust on decor in "Expo line" and in bar.	2 weeks
			Complaint was regarding cockroaches in facility - no evidence of cockroaches found - needed	none

Received by (name and title printed):

Lloyd Meyers

Inspected by (name and title printed):

Thomas Snider, EHS

Received by (signature):

Lloyd Meyers

Inspected by (signature):

Thomas Snider

cc:

cc:

cc: